Embrace Line MSDS Page 1 of 3

Trade Names: Codes:

EmbraceTM WetBondTM Class V EMV, EMVA2, EMVA35, EMVB2, EMVD2

EmbraceTM WetBondTM First Coat EMFC EmbraceTM WetBondTM Opaquer EMOP

EmbraceTM WetBondTM Pit and Fissure Sealant EMS, EMS3, EMSW, EMSW3

EmbraceTM WetBondTM Seal-n-ShineTM EMSNS, EMSNY

EmbraceTM WetBondTM Resin Cement EMCA, EMCAR, EMCAR2, EMCM, EMCMR, EMCMR2.

Chemical Description: Light-cure or dual cure, filled and unfilled resins, with no Bisphenol A.

Product Use: Dental materials

SECTION I

Pulpdent Corporation Phone Numbers:

80 Oakland Street 24 Hr. Emergency: 1-800-535-5053

Watertown, MA 02472 USA Customer Service: 1-800-343-4342 / 1-617-926-

6666

Date Prepared: October 1, 2003

SECTION II - HAZARDOUS INGREDIENTS

IngredientsPEL / TLVAcrylate resinsNot established

DOT HAZARD CLASSIFICATION: Not required. **WHMIS CLASSIFICATION**: D-2, possible irritant

NFPA HMIS RATING: HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 1

SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

Solubility in water: slight Odor Threshold: n/a Odor: Faint, characteristic

Appearance: EMFC, EMSNS, EMSNY: Thin, clear liquid.

EMOP: Opaque, thick, white paste.

EMS, EMS3: Natural tooth shade thin paste.

EMSW, EMSW3: Off-white thin paste.

EMV, EMVA2, EMVA35, EMVB2, EMVD2: Tooth-colored paste.

EMCA, EMCS: Two thin pastes, one white, one yellow.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: not established Flammable limits: not established

Extinguishing Media: Carbon dioxide, dry chemical, alcohol foam, or water fog. Water spray may be

used to keep fire exposed containers cool.

Special Fire Fighting Procedures: A self-contained breathing apparatus should be worn by fire fighting personnel. Cool exposed containers with water spray to prevent polymerization under fire conditions.

Hazardous Combustion Products: Hazardous polymerization with heat build up and release of carbon monoxide, carbon dioxide and oxides of nitrogen may occur under fire conditions.

SECTION V - REACTIVITY DATA

Stability: Stable **Conditions to avoid**: Heat (>100°F), light, especially direct sunlight.

Incompatibility: Reducing and oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, oxides of nitrogen.

Embrace Line MSDS Page 2 of 3

Hazardous Polymerization: None under normal conditions of use.

Conditions to avoid: Heat (>100°F), intense light.

SECTION VI - HEALTH HAZARD DATA

Summary of Acute Hazards: Minimal health hazard in these quantities. May be irritating to eyes,

mucous membranes or skin.

Route of Exposure Signs & Symptoms

Inhalation May be irritating to mucous membranes

Eye Contact May be irritating Skin Absorption n/a

Skin Contact Primary route of exposure. May be irritating Ingestion May be irritating to mucous membranes.

Summary of Chronic Hazards: May be sensitizing, especially with prolonged and/or repeated

exposure.

Carcinogenicity, Teratogenicity, Mutagenicity, Reproductive Toxicity: None known.

Emergency First Aid Procedures:

Inhalation Move to fresh air. Administer artificial respiration if

required, and seek medical attention.

Eye contact Flush with copious amounts of water for 15 minutes.

Seek medical attention.

Ingestion Consult physician immediately.

Skin contact Wash skin with soap and water for 15 minutes.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING & USE

Handling and Storage Precautions: Avoid temperature extremes, intense light, especially direct sunlight, and moisture.

Steps to Be Taken if Material is Released or Spilled: Absorb / wipe up spill with suitable material; collect for disposal.

Waste Disposal Method: Follow all government regulations.

Other Precautions: None

SECTION VIII - CONTROL MEASURES

Respiratory Protection: None required.

Ventilation: No special ventilation recommended under anticipated conditions of normal use.

Protective Gloves: Recommended

Eye Protection: Safety glasses or goggles are recommended.

Other Protective Clothing or Equipment: Emergency eye wash fountain.

Work/Hygienic Practices: Wash hands after use.

The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

Embrace Line MSDS Page 3 of 3