Pulpdent Corporation MSDS: Etch-Rite

MATERIAL SAFETY DATA SHEET: Etch-Rite

IDENTITY: Trade Name: Pulpdent Etch-Rite Dental Etching Gel

Codes: ETCH, ET-TWIN, ET-6, ET-12, ET-24, ET-144, ET-50

Chemical Description: 38% Phosphoric Acid in a proprietary gel base.

Product Use: Dental etching material

SECTION I

Pulpdent Corporation Phone Numbers:

80 Oakland Street 24 Hr. Emergency: (800) 535-5053

Watertown, MA 02472 USA Customer Service: (800) 343-4342/ (617) 926-6666

Date Prepared: January 1, 2001

SECTION II - HAZARDOUS INGREDIENTS

Ingredients CAS RN PEL/TLV

Phosphoric Acid 7664-38-2 1 mg/m³ / 3 mg/m³

DOT HAZARD CLASS/ID No: Class 8, III / UN 1805
WHMIS CLASSIFICATION: Class E - Corrosive

NFPA HMIS RATING: HEALTH: 3 FLAMMABILITY: 0 REACTIVITY: 0

SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point: 135°C Specific Gravity: 1.380 Vapor Pressure: 0.0285 Melting Point: 42°C Solubility in water: Complete Odor Threshold: n/a

Appearance and Odor: Clear blue gel with characteristic odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: Not combustible Flammable limits: LEL n/a UEL n/a

Extinguishing Media: Use water spray to keep fire-exposed containers cool. Extinguish fire with using agent

suitable for surrounding fire.

Special Fire Fighting Procedures: Wear protective clothing and positive pressure self-contained breathing

apparatus.

Hazardous Combustion Products: Phosphoric acid can react with metals to liberate hydrogen, a

flammable gas. Combustion by-products include oxides of phosphorus.

SECTION V - REACTIVITY DATA

Stability: Stable Conditions to avoid: None

Incompatibility: Avoid contact with materials such as sulfides and sulfites which could release toxic gases. Avoid strong alkalies because high heat of reaction can generate steam. Avoid most metals because phosphoric acid can react to liberate hydrogen, a flammable gas.

Hazardous Decomposition Products: Toxic gases, steam, hydrogen (flammable), oxides of phosphorus.

Hazardous Polymerization: Does not occur. Conditions to avoid: None

SECTION VI - HEALTH HAZARD DATA

Summary of Acute Hazards: Corrosive material. Causes eye and skin burns. May not produce an immediate burning sensation upon skin contact, delaying awareness that contact has occurred.

Rev: January 1, 2001 1 of 2

Pulpdent Corporation

Route of Exposure Signs & Symptoms

Inhalation None expected under normal conditions of use of this product. However, if

inhaled as a mist or vaporized, it can be irritating to the respiratory tract.

MSDS: Etch-Rite

Eye Contact Corrosive. May cause burns or irritation.

Skin absorption Slightly toxic.

Skin Contact Corrosive. May cause burns or irritation. May not produce an immediate

burning sensation, delaying awareness that contact has occurred.

Ingestion Corrosive. Slightly toxic. May cause burns or irritation to the mouth, throat

or gastrointestinal tract.

Summary of Chronic Hazards: None known.

Carcinogenicity Not known to be a carcinogen.

Teratogenicity None known
Mutagenicity None known
Reproductive Toxicity None known

Emergency First Aid Procedures:

Inhalation Remove person to fresh air. Seek medical attention if symptoms persist.

Eye contact Immediately flush with plenty of water for 15 minutes. Get medical care.

Ingestion Dilute with water or milk. Do not induce vomiting. Get medical attention.

Skin contact Immediately flush with plenty of water for 15 minutes while removing

contaminated clothing. Get medical attention. Wash clothing before reuse.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING & USE

Handling and Storage Precautions: Store tightly closed in cool, dry well-ventilated location away from heat sources and out of direct sunlight. Separate from alkalies and most metals.

Steps to Be Taken if Material is Released or Spilled: Wear gloves and chemical splash goggles. For small quantities (as in this product): absorb spill with dry paper towels. Place all material in chemical waste container for disposal. Flush spill area with water.

Waste Disposal Method: Follow all government regulations.

Other Precautions: Wash thoroughly after handling. Use with adequate ventilation. Keep container closed. Empty container retains vapor and product residue; observe all safeguards.

SECTION VIII - CONTROL MEASURES

Respiratory Protection: Under normal conditions of use of this product, the surgical masks usually worn by dental staff are adequate. If used *in vivo*, a high speed evacuation tip should be used to protect patient. When airborne limits are exceeded, a NIOSH-approved respirator with full face piece is recommended.

Ventilation: No special ventilation required under normal conditions of use of this product. For larger quantities, local mechanical exhaust ventilation to keep $TLV < 3 \text{ mg/m}^3$.

Protective Gloves: Chemically resistant gloves. Eye Protection: Chemically resistant splash goggles.

Other Protective Clothing or Equipment: Wear long sleeves, apron or lab coat over clothing, to protect skin. If used *in vivo*, use rubber dam around tooth to be etched and high speed evacuator tip or other protective devices for patient. Mask all surrounding tissue. Emergency eye wash fountain should be available.

Work/Hygienic Practices: Wash thoroughly after handling. Clean protective equipment before reuse.

The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

Rev: January 1, 2001 2 of 2

SECTION VI - HEALTH HAZARD DATA

Summary of Acute Hazards: Corrosive material. Causes eye and skin burns. May not produce an immediate burning sensation upon skin contact, delaying awareness that contact has occurred.

Route of Exposure	Signs & Symptoms	
Inhalation	None expected under normal conditions of use of this product. However, if inhaled as a mist or vaporized, it can be irritating to the respiratory tract.	
Eye Contact	Corrosive. May cause burns or irritation.	
Skin absorption	Slightly toxic.	
Skin Contact	Corrosive. May cause burns or irritation. May not produce an immediate burning sensation, delaying awareness that contact has occurred.	
Ingestion	Corrosive. May cause burns or irritation to the mouth, throat or gastrointestinal tract. Slightly toxic.	
Summary of Chronic Hazards Carcinogenicity Teratogenicity Mutagenicity Reproductive Toxicity	None known. Not known to be a carcinogen. None known None known None known	

Emergency First Aid Procedures:

Inhalation	Remove person to fresh air.	Seek medical attention if
	Trainer of Deligon Long Contract.	

symptoms persist.

Eye contact Immediately flush with plenty of water for 15 minutes.

Get medical attention.

Ingestion Dilute with water or milk. Do not induce vomiting.

Get medical attention

Skin contact Immediately flush with plenty of water for 15 minutes

while removing contaminated clothing. Get medical

attention. Wash clothing before reuse.

Rev: 1/1/98